


?

tonnerre



%%/reencsmalldict 12 dict def /ReEncodeSmall [reencsmalldict begin /newcodesandnames exch def /newfontname exch def /basefontname exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FDID ne } dup /Encoding eq { exch dup length array copy newfont 3 1 roll put } 1 exch newfont 3 1 roll put } ifelse } 1 pop pop } ifelse } forall newfont /FontName newfontname put newcodesandnames aload pop newcodesandnames length 2 div { newfont /Encoding get 3 1 roll put } repeat newfontname newfont def /fontname pop end] def /quotevec [86350 /caacute 86351 /egrave] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Times-Bold /Times-Bold quotevec ReEncodeSmall /Times 378 def /BM 0 def /LM 0 def /RM 288 def /code { (V) } def /SetUp [214 231 75 translate .85 .85 scale .01 setlinewidth] def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto 306 396 lineto closepath } def /newline { currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { currentpoint pop RM gt [newline] if } def /done? { currentpoint exch pop BM lt } def /fillpage { /strg exch def [/pop pop nilNec] strg show done? [exit] if } loop } def /centerwidth { RM LM sub } def /center { /newpath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgray fill grestore stroke } def /RoundedBox newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 388 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 296 -9 5 arcto 4 /pop /repeat closepath stroke } def /SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (?) center showpage SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (tonnerre) center showpage SetUp RoundedBox showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (Qu est) center currentheight heightcenter add sub (ce) center currentheight heightcenter add sub (qu'is) center currentheight heightcenter add sub (save) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [2 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (e) center currentheight heightcenter add sub (ce) center currentheight heightcenter add sub (ce) center currentheight heightcenter add sub (qu'is) center currentheight heightcenter add sub (pevent) center currentheight heightcenter add sub (Andre) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (S'is) center currentheight heightcenter add sub (comprennent) center currentheight heightcenter add sub (la) center currentheight heightcenter add sub (pas) center currentheight heightcenter add sub (poeie) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (s'is) center currentheight heightcenter add sub (senent) center currentheight heightcenter add sub (le) center currentheight heightcenter add sub (musique) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [5 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (qu est) center currentheight heightcenter add sub (qu'is) center currentheight heightcenter add sub (pevent) center currentheight heightcenter add sub (comprene) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (la) center currentheight heightcenter add sub (gressire) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [5 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (e) center currentheight heightcenter add sub (violettes) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [2 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (an) center currentheight heightcenter add sub (sennerre) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [1 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (?) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /newpath /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 33 scalefont setfont currentheight heightcenter add sub (livre) center /Times-Bold findfont 21 scalefont setfont currentheight heightcenter add sub (HEAL ORDER) center currentheight heightcenter add sub (ELNIE RUSSELL) center currentheight heightcenter add sub (JEFFREY HARRINGTON) center showpage SetUp RoundedBox showpage %%/reencsmalldict 12 dict def /ReEncodeSmall [reencsmalldict begin /newcodesandnames exch def /newfontname exch def /basefontname exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FDID ne } dup /Encoding eq { exch dup length array copy newfont 3 1 roll put } 1 exch newfont 3 1 roll put } ifelse } 1 pop pop } ifelse } forall newfont /FontName newfontname put newcodesandnames aload pop newcodesandnames length 2 div { newfont /Encoding get 3 1 roll put } repeat newfontname newfont def /fontname pop end] def /quotevec [86350 /caacute 86351 /egrave] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Times-Bold /Times-Bold quotevec ReEncodeSmall /Times 378 def /BM 0 def /LM 0 def /RM 288 def /code { (V) } def /SetUp [214 231 75 translate .85 .85 scale .01 setlinewidth] def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto 306 396 lineto closepath } def /newline { currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { currentpoint pop RM gt [newline] if } def /done? { currentpoint exch pop BM lt } def /fillpage { /strg exch def [/pop pop nilNec] strg show done? [exit] if } loop } def /centerwidth { RM LM sub } def /center { /newpath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgray fill grestore stroke } def /RoundedBox newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 388 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 296 -9 5 arcto 4 /pop /repeat closepath stroke } def /SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM heightcenter sub } def /Times-Bold findfont 30 scalefont setfont currentheight (?) center showpage SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter { TM WordNumber div } def /currentheight { TM height

Font definition code for a font named 'FontName'. The code includes various parameters and commands for defining the font's appearance, such as font name, encoding, and glyph definitions. The code is written in a specific syntax used for font creation software.


```

%!'reencsmalldict 12 dict def /ReEncodeSmall [ reencsmalldict begin /newcodesandnames exch def /newfontname exch def /basefontname
exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FD ne } dup /Encoding
exch { exch dup length array copy newfont 3 1 roll put } 1 exch newfont 3 1 roll put } ifelse } pop pop } ifelse } forall newfont /FontName n
ewfontname put newcodesandnames aload pop newcodesandnames length 2 div } newfont /Encoding get 3 1 roll put } repeat newfontnam
e newfont def newfont pop end } def /quotevec [ 86350 /caacute 86351 /egrave ] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Tim
es-Bold /Times-Bold quotevec ReEncodeSmall /Times 378 def /BM 0 def /LM 0 def /RM 288 def /code { (|) def /SetUp [ 214 231 75 translate
.85 .85 scale .01 setlinewidth ] def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto -1 396 lineto closepath } def /newline
/ currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { currentpoint pop RM gt [newline] if def /done? { currentpoint exch pop B
M lt } def /fillpage { /strg exch def [ /pop pop fillNec ] strg show done? [exit] if } loop } def /centerwidth [RM LM sub] def /center { newp
ath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgray fill grestore stroke } def /RoundedBox
newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 388 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 2
96 -9 5 arcto 4 /pop /repeat closepath stroke } def /SetUp RoundedBox /WordNumber { 1 1 add } def /heightcenter [TM WordNumber div] de
f /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( ? ) center showpage SetUp RoundedBox
/WordNumber { 1 1 add } def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 sc
alefont setfont currentheight ( tonnerre ) center showpage SetUp RoundedBox showpage SetUp RoundedBox /BoxPath clip /Times-Italic find
font 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 1 1 add } def /heightcenter [TM WordNumber div] def /currentheight
[TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont /currentheight ( Qu est ) center currentheight heightcenter sub ( ce ) cen
ter currentheight heightcenter heightcenter add sub ( qu'is ) center currentheight heightcenter heightcenter add add sub ( save
nt ) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber
{ 2 1 add } def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfo
nt currentheight ( de ) center currentheight heightcenter sub ( l'amour ) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic find
font 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 6 1 add } def /heightcenter [TM WordNumber div] def /currentheight
[TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( et ) center currentheight heightcenter sub ( qu' est ) cent
er currentheight heightcenter heightcenter add sub ( ce ) center currentheight heightcenter heightcenter add add sub ( qu'is ) c
enter currentheight heightcenter heightcenter heightcenter add add add sub ( pevent ) center currentheight heightcenter height
center heightcenter heightcenter add add add add sub ( comprendre? ) center showpage SetUp RoundedBox /BoxPath clip /Tim
es-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 6 1 add } def /heightcenter [TM WordNumber div] def /c
urrentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( S'is ) center currentheight heightcenter su
b ( ne ) center currentheight heightcenter heightcenter add sub ( comprennent ) center currentheight heightcenter heightcenter add add
sub ( pas ) center currentheight heightcenter heightcenter add add add sub ( la ) center currentheight heightcenter add add add sub ( poe
sie ) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 6 1 add } def /heightcenter [TM WordNumber d
iv] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( s'is ) center currentheight height
center sub ( ne ) center currentheight heightcenter heightcenter add sub ( senem ) center currentheight heightcenter heightcenter heightcente
r add add sub ( pas ) center currentheight heightcenter heightcenter heightcenter add add add sub ( la ) center currentheight h
eightcenter heightcenter heightcenter heightcenter add add add add sub ( musique ) center showpage SetUp RoundedBox /BoxP
ath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 5 1 add } def /heightcenter [TM WordNumber
{ 6 1 add } def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( qu' est ) center currentheight h
eightcenter sub ( ce ) center currentheight heightcenter heightcenter add sub ( qu'is ) center currentheight heightcenter heightcenter add
add sub ( pevent ) center currentheight heightcenter heightcenter heightcenter add add add sub ( comprendre ) cente
r showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 3 1 a
dd } def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont curren
theight ( de ) center currentheight heightcenter sub ( cette ) center currentheight heightcenter heightcenter add sub ( passion ) center showp
age SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 14 1 add } def /h
eightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( en
 ) center currentheight heightcenter sub ( comparison ) center /currentheight heightcenter add add sub ( avez ) center currentheight
heightcenter heightcenter heightcenter add add sub ( laquelle ) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2
scalefont setfont LM TM moveto code fillpage /WordNumber { 2 1 add } def /heightcenter [TM WordNumber div] def /currentheight [TM h
eightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( la ) center currentheight heightcenter sub ( rose ) center curren
theight heightcenter heightcenter add sub ( est ) center currentheight heightcenter heightcenter heightcenter add add sub ( grossiere ) center
showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 5 1 ad
d } def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont current
height ( et ) center currentheight heightcenter sub ( le ) center currentheight heightcenter heightcenter add sub ( parfum ) center currentheight
t heightcenter heightcenter heightcenter add add sub ( des ) center currentheight heightcenter heightcenter heightcenter add add
d add sub ( violettes ) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fill
page /WordNumber { 2 1 add } def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont
30 scalefont setfont currentheight ( an ) center currentheight heightcenter sub ( tonnerre ) center showpage SetUp RoundedBox /BoxPath clip
/Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 1 1 add } def /heightcenter [TM WordNumber div]
def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( ? ) center showpage SetUp RoundedB
ox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage showpage SetUp RoundedBox /BoxPath clip /Time
s-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber { 6 1 add } def /newpath /heightcenter [TM WordNumber d
iv] def /currentheight [TM heightcenter sub] def /timesbold /timesbold findfont 30 scalefont setfont /currentheight ( te ) center /timesbold findfont
t 26 scalefont setfont currentheight heightcenter /currentheight ( te ) center /timesbold findfont 30 scalefont setfont currentheight heightcente
r heightcenter add sub ( livre ) center /timesbold findfont 30 scalefont setfont /currentheight ( te ) center /timesbold findfont 30 scalefont setfont
currentheight heightcenter heightcenter add add sub ( HEAL ORDER ) center currentheight heightcenter heightcenter heightcenter add add add sub ( ELISE RUSSELL ) cente
r currentheight heightcenter heightcenter heightcenter heightcenter add add add add sub ( JEFFREY HARRINGTON ) center
showpage SetUp RoundedBox showpage %!'reencsmalldict 12 dict def /ReEncodeSmall [ reencsmalldict begin /newcodesandnames exch
def /newfontname exch def /basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FD ne } dup /Encoding
ndict { exch dup /FD ne } dup /Encoding eq { exch dup length array copy newfont 3 1 roll put } 1 exch newfont 3 1 roll put } ifelse } pop
pop } ifelse } forall newfont /FontName newfontname put newcodesandnames aload pop newcodesandnames length 2 div } newfont /Encod
ing get 3 1 roll put } repeat newfontname newfont def newfont pop end } def /quotevec [ 86350 /caacute 86351 /egrave ] def /Times-Italic /T
imes-Italic quotevec ReEncodeSmall /Times-Bold /Times-Bold quotevec ReEncodeSmall /Times 378 def /BM 0 def /LM 0 def /RM 288 def /co
de { (|) def /SetUp [ 214 231 75 translate .85 .85 scale .01 setlinewidth ] def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lin
eto -1 396 lineto closepath } def /newline / currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { currentpoint pop RM gt [newline] if def /done? { currentpoint exch pop B
M lt } def /fillpage { /strg exch def [ /pop pop fillNec ] strg show done? [exit] if } loop } def /centerwidth [RM LM sub] def /center { newp
ath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgr
a fill grestore stroke } def /RoundedBox newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 388 5 arcto 4 /pop /repe
at -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 296 -9 5 arcto 4 /pop /repeat closepath stroke } def /SetUp RoundedBox /WordNumber { 1 1 add }
def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheig
ht ( ? ) center showpage SetUp RoundedBox /WordNumber { 1 1 add } def /heightcenter [TM WordNumber div] def /currentheight [TM heig

```

```

%!(reencsmalldict 12 dict def /ReEncodeSmall | reencsmalldict begin /newcodesandnames exch def /newfontname exch def /basefontname
exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FID ne | dup /Encoding
eq | exch dup length array copy newfont 3 1 roll put | } exch newfont 3 1 roll put | } else { | pop pop | } else { forall newfont /FontName n
ewfontname put newcodesandnames aload pop newcodesandnames length 2 div | newfont /Encoding get 3 1 roll put | } repeat newfontname
e newfont def newfont pop end } def /quotevec [ 86350 /acute 86351 /grave ] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Tim
es-Bold /Times-Bold quotevec ReEncodeSmall /TM 378 def /BM 0 def /LM 0 def /RM 288 def /code {1} def /SetUp [ 214 231.75 translate
.85 .85 scale .01 setlinewidth ] def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto -1 396 lineto closepath } def /newline
/ currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { /currentpoint pop RM gt { /newline } if { /done? { /currentpoint exch pop B
M lt } def /fillpage { /strg exch def | /pop pop nilNec } strg show done? { exit } if /loop } def /centerwidth [RM LM sub] def /center { /newp
ath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgray fill grestore stroke } def /RoundedBox
newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 188 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 2
96 -9 5 arcto 4 /pop /repeat closepath stroke 1 def /SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter (TM WordNumber div) def
/ currentheight [TM heightcenter sub] def /Times-Bold findfont /WordNumber [1 1 add] def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 sc
alefont setfont currentheight (tonnerre) center showpage /SetUp RoundedBox showpage /SetUp RoundedBox /BoxPath clip /Times-Italic find
font 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter (TM WordNumber div) def /currentheight
(TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (Qu'est) center currentheight heightcenter add sub (ce) cen
ter currentheight heightcenter heightcenter add sub (qu'ils) center currentheight heightcenter heightcenter add add sub (save
nt) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [2 1 add] def /heightcenter (TM WordNumber div) def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont
currentheight (amour) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /heightcenter (TM WordNumber div) def /currentheight
(TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (et) center currentheight heightcenter add sub (ce) cen
ter currentheight heightcenter heightcenter add sub (ce) center currentheight heightcenter heightcenter add add sub (qu'ils) center
currentheight heightcenter heightcenter heightcenter add add add add /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [5 1 add] def /heightcenter (TM WordNumber div) def /c
urrentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (S'ils) center currentheight heightcenter su
b (ne) center currentheight heightcenter heightcenter add sub (comprement) center currentheight heightcenter heightcenter add add sub (pas) center currentheight heightcenter heightcenter heightcenter add add add sub (la) center currentheight height
center heightcenter heightcenter heightcenter add add add add sub (poésie) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /heightcenter (TM WordNumber d
iv) def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (s'ils) center currentheight height
center sub (ne) center currentheight heightcenter heightcenter add sub (senteur) center currentheight heightcenter heightcenter add add sub (pas) center currentheight heightcenter heightcenter heightcenter add add add sub (la) center currentheight h
eightcenter heightcenter heightcenter heightcenter add add add add sub (musique.) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [5 1 add] def /heightcenter (TM WordNumber
div) def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (ce) center currentheight heightcenter add add add add sub (compre) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [3 1 add] def /heightcenter (TM WordNumber div) def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (de) center currentheight heightcenter sub (cette) center currentheight heightcenter heightcenter add sub (passion) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter (TM WordNumber div) def /currentheight (en) center currentheight heightcenter sub (comparison) center currentheight heightcenter heightcenter add sub (avec) center currentheight heightcenter heightcenter heightcenter add add sub (laquelle) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter (TM WordNumber div) def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (la) center currentheight heightcenter sub (rose) center currentheight heightcenter heightcenter add sub (est) center currentheight heightcenter heightcenter heightcenter add add sub (grosière) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [5 1 add] def /heightcenter (TM WordNumber div) def /currentheight (et) center currentheight heightcenter sub (parfum) center currentheight heightcenter heightcenter heightcenter add add sub (des) center currentheight heightcenter heightcenter heightcenter add add add sub (violette) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [2 1 add] def /heightcenter (TM WordNumber div) def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (an) center currentheight heightcenter sub (sonnerre) center showpage /SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [1 1 add] def /heightcenter (TM WordNumber div) def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (s) center currentheight heightcenter sub (senteur) center currentheight heightcenter heightcenter add add sub (HEAL ORDER) center currentheight heightcenter heightcenter add add sub (ELISE RUSSELL) center currentheight heightcenter heightcenter heightcenter add add sub (JEFFREY HARRINGTON) center showpage /SetUp RoundedBox showpage %!(reencsmalldict 12 dict def /ReEncodeSmall | reencsmalldict begin /newcodesandnames exch def /newfontname exch def /basefontname exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FID ne | dup /Encoding eq | exch dup length array copy newfont 3 1 roll put | } exch newfont 3 1 roll put | } else { | pop pop | } else { forall newfont /FontName newfontname put newcodesandnames aload pop newcodesandnames length 2 div | newfont /Encoding get 3 1 roll put | } repeat newfontname newfont def newfont pop end } def /quotevec [ 86350 /acute 86351 /grave ] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Times-Bold /Times-Bold quotevec ReEncodeSmall /TM 378 def /BM 0 def /LM 0 def /RM 288 def /code {1} def /SetUp [ 214 231.75 translate .85 .85 scale .01 setlinewidth ] def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto -1 396 lineto closepath } def /newline / currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { /currentpoint pop RM gt { /newline } if { /done? { /currentpoint exch pop B M lt } def /fillpage { /strg exch def | /pop pop nilNec } strg show done? { exit } if /loop } def /centerwidth [RM LM sub] def /center { /newpath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgray fill grestore stroke } def /RoundedBox newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 188 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 296 -9 5 arcto 4 /pop /repeat closepath stroke 1 def /SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter (TM WordNumber div) def /currentheight (TM heightcenter sub) def /Times-Bold findfont 30 scalefont setfont currentheight (
) center showpage /SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter (TM WordNumber div) def /currentheight (TM height

```

```

%{ /reencsmalldict 12 dict def /ReEncodeSmall /reencsmalldict begin /newcodesandnames exch def /newfontname exch def /basefontname
exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefontdict { exch dup /FDID ne } dup /Encoding
eq { exch dup length array copy newfont 3 1 roll put } / exch newfont 3 1 roll put } ifelse } / pop pop } ifelse } forall newfont /FontName n
ewfontname put newcodesandnames aload pop newcodesandnames length 2 div } newfont /Encoding get 3 1 roll put } repeat newfontnam
e newfont def newfont pop end } def /quotevec [ 86350 /caacute 86351 /egrave ] def /Times-Italic /Times-Italic quotevec ReEncodeSmall /Tim
es-Bold /Times-Bold quotevec ReEncodeSmall /TM 378 def /BM 0 def /LM 0 def /RM 288 def /code { /() def /SetUp { 214 231.75 translate
-.85 .85 scale .01 setlinewidth } def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lineto -1 396 lineto closepath } def /newline
/ currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { currentpoint pop RM gt [newline] if } def /done? { currentpoint exch pop B
M lt } def /fillpage { /strg exch def [ /pop pop nilNec ] strg show done? [exit] if } loop } def /centerwidth [RM LM sub] def /center { newp
ath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgray fill grestore stroke } def /RoundedBox
newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 388 5 arcto 4 /pop /repeat -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 2
96 -9 5 arcto 4 /pop /repeat closepath stroke } def /SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter [TM WordNumber div] de
f /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( ? ) center showpage SetUp RoundedBox
/WordNumber [1 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 sc
alefont setfont currentheight (sonnerre) center showpage SetUp RoundedBox showpage SetUp RoundedBox /BoxPath clip /Times-Italic find
font 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter [TM WordNumber div] def /currentheigh
t [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (Qu'est) center currentheight heightcenter sub (ce) cen
ter currentheight heightcenter heightcenter add sub (qu'is) center currentheight heightcenter heightcenter heightcenter add add sub (save
n) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumb
er [2 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfo
nt currentheight (de) center currentheight heightcenter sub (l'amour) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic find
font 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /heightcenter [TM WordNumber div] def /currentheigh
t [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (e) center currentheight heightcenter sub (qu'est) cent
er currentheight heightcenter heightcenter add sub (ce) center currentheight heightcenter heightcenter add add sub (qu'is) c
enter currentheight heightcenter heightcenter heightcenter add add add sub (peuvent) center currentheight heightcenter height
center heightcenter heightcenter add add add add sub (s'indre?) center showpage SetUp RoundedBox /BoxPath clip /Tim
es-Italic findfont 5.2 scalefont setfont LM TM moveto code fill /WordNumber [6 1 add] def /heightcenter [TM WordNumber div] def /c
urrentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (S'ils) center currentheight heightcenter su
b (ne) center currentheight heightcenter heightcenter add sub (comprennent) center currentheight heightcenter heightcenter heightcenter a
dd add sub (pas) center currentheight heightcenter heightcenter heightcenter heightcenter add add add sub (la) center currentheight heigh
tcenter heightcenter heightcenter heightcenter add add add add sub (poésie) center showpage SetUp RoundedBox /BoxPath c
lip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /heightcenter [TM WordNumber d
iv] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (s'ils) center currentheight heigh
tcenter sub (ne) center currentheight heightcenter heightcenter add sub (sentent) center currentheight heightcenter heightcenter heightcent
er add add sub (pas) center currentheight heightcenter heightcenter heightcenter add add add sub (la) center currentheight h
eightcenter heightcenter heightcenter heightcenter add add add add sub (musique.) center showpage SetUp RoundedBox /BoxP
ath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [5 1 add] def /heightcenter [TM WordNumb
er div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (qu'est) center currentheight h
eightcenter sub (ce) center currentheight heightcenter heightcenter add sub (qu'is) center currentheight heightcenter heightcenter add
add add sub (peuvent) center currentheight heightcenter heightcenter heightcenter heightcenter add add add sub (comprendre) cente
r showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [3 1 a
dd] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont curren
theight (de) center currentheight heightcenter sub (cette) center currentheight heightcenter heightcenter add sub (passion) center showpag
e SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /he
ightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (en
) center currentheight heightcenter sub (comparaison) center currentheight heightcenter heightcenter add sub (avec) center currentheight
heightcenter heightcenter heightcenter add add sub (laquelle) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2
scalefont setfont LM TM moveto code fillpage /WordNumber [4 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM h
eightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight (la) center currentheight heightcenter sub (rose) center curren
theight heightcenter heightcenter add sub (est) center currentheight heightcenter heightcenter heightcenter add add sub (grosière) center
showpage SetUp RoundedBox /BoxPath clip /Times-Bold findfont 30 scalefont setfont /WordNumber [5 1 ad
d] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont curren
theight (et) center currentheight heightcenter sub (up) center currentheight heightcenter add sub (parfum) center currentheight
heightcenter heightcenter heightcenter add add sub (bes) center currentheight heightcenter heightcenter heightcenter heightcenter add ad
d add sub (violette) center showpage SetUp RoundedBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fill
page /WordNumber [2 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont
30 scalefont setfont currentheight (an) center currentheight heightcenter sub (sonnerre) center showpage SetUp RoundedBox /BoxPath clip
/Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [1 1 add] def /heightcenter [TM WordNumber div]
def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currentheight ( ? ) center showpage SetUp Rounde
dBox /BoxPath clip /Times-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage showpage SetUp RoundedBox /BoxPath clip /Time
s-Italic findfont 5.2 scalefont setfont LM TM moveto code fillpage /WordNumber [6 1 add] def /newpath /heightcenter [TM WordNumber d
iv] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 33 scalefont setfont currentheight (texte) center /Times-Bold findfont
26 scalefont setfont currentheight heightcenter sub (CAID AD) center /Times-Bold findfont 33 scalefont setfont currentheight heightcent
er heightcenter add sub (livre:) center /Times-Bold findfont 21 scalefont setfont currentheight heightcenter heightcenter heightcenter add
add sub (HEAL ORDER) center currentheight heightcenter heightcenter heightcenter heightcenter add add add sub (ELSIE RUSSELL) cente
r currentheight heightcenter heightcenter heightcenter heightcenter heightcenter add add add add sub (JEFFREY HARRINGTON) center
showpage SetUp RoundedBox showpage % /reencsmalldict 12 dict def /ReEncodeSmall /reencsmalldict begin /newcodesandnames exch
def /newfontname exch def /basefontname exch def /basefontdict basefontname findfont def /newfont basefontdict maxlength dict def basefo
ndict { exch dup /FDID ne } dup /Encoding eq { exch dup length array copy newfont 3 1 roll put } / exch newfont 3 1 roll put } ifelse } / pop
pop } ifelse } forall newfont /FontName newfontname put newcodesandnames aload pop newcodesandnames length 2 div } newfont /Enco
ding get 3 1 roll put } repeat newfontname newfont def newfont pop end } def /quotevec [ 86350 /caacute 86351 /egrave ] def /Times-Italic /
Times-Italic quotevec ReEncodeSmall /Times-Bold /Times-Bold quotevec ReEncodeSmall /TM 378 def /BM 0 def /LM 0 def /RM 288 def /co
de { /() def /SetUp { 214 231.75 translate -.85 .85 scale .01 setlinewidth } def /BoxPath { newpath -1 -2.5 moveto 306 -2.5 lineto 306 396 lin
eto -1 396 lineto closepath } def /newline / currentpoint 4.8 sub exch pop LM exch moveto } def /fillNec { currentpoint pop RM gt [newline] if } def /done? { currentpoint exch pop BM lt } def /fillpage { /strg exch def [ /pop pop nilNec ] strg show done? [exit] if } loop } def /ce
nterwidth [RM LM sub] def /center { newpath dup stringwidth pop centerwidth exch sub 2 div 3 -1 roll moveto true charpath gsave 1 setgr
ay fill grestore stroke } def /RoundedBox newpath 37 -9 moveto 296 -9 296 388 5 arcto 4 /pop /repeat 296 388 -9 388 5 arcto 4 /pop /repe
at -7 388 -7 -9 5 arcto 4 /pop /repeat -7 -9 296 -9 5 arcto 4 /pop /repeat closepath stroke } def /SetUp RoundedBox /WordNumber [1 1 add]
def /heightcenter [TM WordNumber div] def /currentheight [TM heightcenter sub] def /Times-Bold findfont 30 scalefont setfont currenthei
ght ( ? ) center showpage SetUp RoundedBox /WordNumber [1 1 add] def /heightcenter [TM WordNumber div] def /currentheight [TM heig

```